

### Research References

- Woolf CJ. Central sensitization: Implications for the diagnosis and treatment of pain. *Pain*. 2011;152:S2-S15 8
- Mense S. Algesic agents exciting muscle nociceptors. *Exp Brain Res*. Jun 2009;196(1):89-100 22
- Niddam DM, Chan RC, Lee SH, Yeh TC, Hsieh JC. Central modulation of pain evoked from myofascial trigger point. *Clin J Pain*. Jun 2007;23(5):440-448 34
- Niddam DM, Chan RC, Lee SH, Yeh TC, Hsieh JC. Central representation of hyperalgesia from myofascial trigger point. *Neuroimage*. Feb 1 2008;39(3):1299-1306 43
- Nijs J, Van Houdenhove B, Oostendorp RA. Recognition of central sensitization in patients with musculoskeletal pain: Application of pain neurophysiology in manual therapy practice. *Manual therapy*. Apr 2010;15(2):135-141 51
- Shah J, Phillips T, Danoff JV, Gerber LH. A novel microanalytical technique for assaying soft tissue demonstrates significant quantitative biomechanical differences in 3 clinically distinct groups: normal, latent and active.
- Arch Phys Med Rehabil*. 2003;84:A4 58
- Shah JP, Danoff JV, Desai MJ, et al. Biochemicals associated with pain and inflammation are elevated in sites near to and remote from active myofascial trigger points. *Arch Phys Med Rehabil*. Jan 2008;89(1):16-23 66
- Shah JP, Gilliams EA. Uncovering the biochemical milieu of myofascial trigger points using in vivo microdialysis: an application of muscle pain concepts to myofascial pain syndrome. *J Bodyw Mov Ther*. Oct 2008;12(4):371-384 74
- Gerwin RD, Dommerholt J, Shah JP. An expansion of Simons' integrated hypothesis of trigger point formation. *Curr Pain Headache Rep*. Dec 2004;8(6):468-475 88
- Sikdar S, Ortiz R, Gebreab T, Gerber LH, Shah JP. Understanding the vascular environment of myofascial trigger points using ultrasonic imaging and computational modeling. *Conf Proc IEEE Eng Med Biol Soc*. 2010;1:5302-5305 96
- Mense S. How do muscle lesions such as latent and active trigger points influence central nociceptive neurons? *J Musculoske Pain*. 2010;18(4):348-353 100
- Li LT, Ge HY, Yue SW, Arendt-Nielsen L. Nociceptive and non-nociceptive hypersensitivity at latent myofascial trigger points. *Clin J Pain*. Feb 2009;25(2):132-137 106
- Lucas KR, Polus BI, Rich PS. Latent myofascial trigger points: their effects on muscle activation and movement efficiency. *J Bodyw Mov Ther*. 2004;8:160-166 112
- Langevin HM, Churchill DL, Fox JR, Badger GJ, Garra BS, Krag MH. Biomechanical response to acupuncture needling in humans. *J Appl Physiol*. Dec 2001;91(6):2471-2478 119
- Langevin HM, Churchill DL, Cipolla MJ. Mechanical signaling through connective tissue: a mechanism for the therapeutic effect of acupuncture. *Faseb J*. Oct 2001;15(12):2275-2282 127
- Lewit K. The needle effect in the relief of myofascial pain. *Pain*. 1979;6:83-90 135

### Research References

- Giamberardino MA, Tafuri E, Savini A, et al. Contribution of myofascial trigger points to migraine symptoms. *J Pain*. Nov 2007;8(11):869-878 143
- Calandre EP, Hidalgo J, Garcia-Leiva JM, Rico-Villademoros F. Trigger point evaluation in migraine patients: an indication of peripheral sensitization linked to migraine predisposition? *Eur J Neurol*. Mar 2006;13(3):244-249 153
- Fernández-de-las-Peñas C, Ge HY, Alonso-Blanco C, González-Iglesias J, Arendt-Nielsen L. Referred pain areas of active myofascial trigger points in head, neck, and shoulder muscles, in chronic tension type headache. *J Bodyw Mov Ther*. Oct 2010;14(4):391-396 159
- Fernández-de-las-Peñas C, Galan-Del-Rio F, Alonso-Blanco C, Jimenez-Garcia R, Arendt-Nielsen L, Svensson P. Referred pain from muscle trigger points in the masticatory and neck-shoulder musculature in women with temporomandibular disorders. *J Pain* Dec 2010;11(12):1295-1304 165
- Hoyle JA, Marras WS, Sheedy JE, Hart DE. Effects of postural and visual stressors on myofascial trigger point development and motor unit rotation during computer work. *J Electromyography Kinesiol*. Feb 2011;21(1):41-48 175
- Torres Lacomba M, Mayoral del Moral O, Coperias Zazo JL, Gerwin RD, Goni AZ. Incidence of myofascial pain syndrome in breast cancer surgery: a prospective study. *Clin J Pain*. May 2010;26(4):320-325 183
- Fernandez-Lao C, Cantarero-Villanueva I, Fernandez-de-las-Penas C, Del-Moral-Avila R, Menjon-Beltran S, Arroyo-Morales M. Development of active myofascial trigger points in neck and shoulder musculature is similar after lumpectomy or mastectomy surgery for breast cancer. *J Bodyw Mov Ther*. 2011;in press 189
- Hidalgo-Lozano A, Fernández-de-las-Peñas C, Alonso-Blanco C, Ge H-Y, Arendt-Nielsen L, Arroyo-Morales M. Muscle trigger points and pressure pain hyperalgesia in the shoulder muscles in patients with unilateral shoulder impingement: a blinded, controlled study. *Exp Brain Res*. 2010;202(4):915-925 197
- Bron C, de Gast A, Dommerholt J, Stegenga B, Wensing M, Oostendorp RAB. Treatment of myofascial trigger points in patients with chronic shoulder pain; a randomized controlled trial *BMC Medicine*. 2011;9:8 208
- Dilorenzo L, Trallesi M, Morelli D, et al. Hemiparetic shoulder pain syndrome treated with deep dry needling during early rehabilitation: a prospective, open-label, randomized investigation. *J Musculoske Pain*. 2004;12(2):25-34 222
- Osborne NJ, Gatt IT. Management of shoulder injuries using dry needling in elite volleyball players. *Acupunct Med*. 2010;28(1):42-45 232
- Qerama E, Kasch H, Fuglsang-Frederiksen A. Occurrence of myofascial pain in patients with possible carpal tunnel syndrome - a single-blinded study. *Eur J Pain*. Jul 2009;13(6):588-591 236
- Furlan A, Tulder M, Cherkin D, et al. Acupuncture and dry-needling for low back pain. *Cochrane Database Syst Rev*. 2005(1):CD001351 240
- Ceccherelli F, Rigoni MT, Gagliardi G, Ruzzante L. Comparison between superficial and deep acupuncture in the treatment of lumbar myofascial pain: a double-blind randomized controlled study. *Clin J Pain*. 2002;18:149-153 242

### Research References

- Ge HY, Nie H, Madeleine P, Danneskiold-Samsøe B, Graven-Nielsen T, Arendt-Nielsen L. Contribution of the local and referred pain from active myofascial trigger points in fibromyalgia syndrome. *Pain*. Dec 15 2009;147(1-3):233-240 247
- Affaitati G, Costantini R, Fabrizio A, Lapenna D, Tafuri E, Giamberardino MA. Effects of treatment of peripheral pain generators in fibromyalgia patients. *Eur J Pain*. Jan 2011;15(1):61-69 255
- Montenegro ML, Gomide LB, Mateus-Vasconcelos EL, et al. Abdominal myofascial pain syndrome must be considered in the differential diagnosis of chronic pelvic pain. *Eur J Obstet Gynecol Reprod Biol*. Nov 2009;147(1):21-24 264
- Anderson RU, Sawyer T, Wise D, Morey A, Nathanson BH. Painful myofascial trigger points and pain sites in men with chronic prostatitis/chronic pelvic pain syndrome. *J Urol*. Dec 2009;182(6):2753-2758 268
- Anderson RU, Wise D, Sawyer T, Chan CA. Sexual dysfunction in men with chronic prostatitis/chronic pelvic pain syndrome: improvement after trigger point release and paradoxical relaxation training. *J Urol*. 2006;176(4):1534-1538 274
- Jarrell J. Myofascial dysfunction in the pelvis. *Curr Pain Headache Rep*. Dec 2004;8(6):452-456 280
- Renan-Ordine R, Albuquerque-Sendin F, de Souza DP, Cleland JA, Fernandez-de-Las-Penas C. Effectiveness of myofascial trigger point manual therapy combined with a self-stretching protocol for the management of plantar heel pain: a randomized controlled trial. *J Orthop Sports Physical Ther*. Feb 2011;41(2):43-50 285
- Hsieh YL, Kao MJ, Kuan TS, Chen SM, Chen JT, Hong CZ. Dry needling to a key myofascial trigger point may reduce the irritability of satellite MTrPs. *Am J Phys Med Rehabil*. May 2007;86(5):397-403 293
- Ga H, Choi JH, Park CH, Yoon HJ. Acupuncture needling versus lidocaine injection of trigger points in myofascial pain syndrome in elderly patients--a randomised trial. *Acupunct Med* Dec 2007;25(4):130-136 300
- Ga H, Choi JH, Park CH, Yoon HJ. Dry needling of trigger points with and without paraspinal needling in myofascial pain syndromes in elderly patients. *J Altern Complement Med*. Jul-Aug 2007;13(6):617-624 307
- Chen Q, Bensamoun S, Basford JR, Thompson JM, An KN. Identification and quantification of myofascial taut bands with magnetic resonance elastography. *Arch Phys Med Rehabil*. Dec 2007;88(12):1658-1661 314
- Chen Q, Basford J, An KN. Ability of magnetic resonance elastography to assess taut bands. *Clin Biomech (Bristol, Avon)*. Jun 2008;23(5):623-629 318
- Sikdar S, Shah JP, Gebreab T, et al. Novel applications of ultrasound technology to visualize and characterize myofascial trigger points and surrounding soft tissue. *Arch Phys Med Rehabil*. Nov 2009;90(11):1829-1838 325
- Chang CW, Chen YR, Chang KF. Evidence of neuroaxonal degeneration in myofascial pain syndrome: a study of neuromuscular jitter by axonal microstimulation. *Eur J Pain*. Nov 2008;12(8):1026-1030 335



### Research References

Ge HY, Fernandez-de-Las-Penas C, Madeleine P, Arendt-Nielsen L. Topographical mapping and mechanical pain sensitivity of myofascial trigger points in the infraspinatus muscle. *Eur J Pain.* 2008;12(7):859-865 340

Kimura Y, Ge HY, Zhang Y, Kimura M, Sumikura H, Arendt-Nielsen L. Evaluation of sympathetic vasoconstrictor response following nociceptive stimulation of latent myofascial trigger points in humans. *Acta Physiol (Oxf).* Aug 2009;196(4):411-417 347